

The Periodic Table

<i>IA</i> H 1 1.01																	<i>VIIIA</i> He 2 4.00
<i>IIA</i> Li 3 6.94	Be 4 9.01											<i>IIIA</i> B 5 10.81	<i>IVA</i> C 6 12.01	<i>V A</i> N 7 14.01	<i>VIA</i> O 8 16.00	<i>VIIA</i> F 9 19.00	Ne 10 20.18
Na 11 22.99	Mg 12 24.31	<i>IIIB</i>	<i>IVB</i>	<i>VB</i>	<i>VIB</i>	<i>VII B</i>	<i>VIII B</i>	<i>VIII B</i>	<i>VIII B</i>	<i>IB</i>	<i>IIB</i>	Al 13 26.98	Si 14 28.09	P 15 30.97	S 16 32.07	Cl 17 35.45	Ar 18 39.95
K 19 39.10	Ca 20 40.08	Sc 21 44.96	Ti 22 47.88	V 23 50.94	Cr 24 52.00	Mn 25 54.94	Fe 26 55.85	Co 27 58.93	Ni 28 58.69	Cu 29 63.55	Zn 30 65.39	Ga 31 69.72	Ge 32 72.61	As 33 74.92	Se 34 78.96	Br 35 79.90	Kr 36 83.80
Rb 37 85.47	Sr 38 87.62	Y 39 88.91	Zr 40 91.22	Nb 41 92.91	Mo 42 95.94	Tc 43 (97.9)	Ru 44 101.07	Rh 45 102.91	Pd 46 106.42	Ag 47 107.87	Cd 48 112.41	In 49 114.82	Sn 50 118.71	Sb 51 121.76	Te 52 127.60	I 53 126.90	Xe 54 131.29
Cs 55 132.91	Ba 56 137.33	La 57 138.91	Hf 72 178.49	Ta 73 180.95	W 74 183.85	Re 75 186.21	Os 76 190.2	Ir 77 192.22	Pt 78 195.08	Au 79 197.97	Hg 80 200.59	Tl 81 204.38	Pb 82 207.2	Bi 83 208.98	Po 84 (209)	At 85 (210)	Rn 86 (222)
Fr 87 223.02	Ra 88 226.03	Ac 89 227.03	Rf 104 (261)	Db 105 (262)	Sg 106 263)	Bh 107 (262)	Hs 108 (265)	Mt 109 (266)	Ds 110 (271)	Rg 111 (272)	Uub 112 (285)	Uut 113 (284)	Uuq 114 (289)	Uup 115 (288)			
Ce 58 140.12	Pr 59 140.91	Nd 60 144.24	Pm 61 (145)	Sm 62 150.36	Eu 63 152.97	Gd 64 157.25	Tb 65 158.93	Dy 66 162.50	Ho 67 164.93	Er 68 167.26	Tm 69 168.93	Yb 70 173.04	Lu 71 174.97				
Th 90 232.04	Pa 91 231.04	U 92 238.03	Np 93 237.05	Pu 94 (240)	Am 95 243.06	Cm 96 (247)	Bk 97 (248)	Cf 98 (251)	Es 99 252.08	Fm 100 257.10	Md 101 (257)	No 102 259.10	Lr 103 262.11				

Some Useful (maybe) Constants:

- $K_w @ 25^\circ\text{C} = 1.00 \times 10^{-14}$
- $K_a K_b = K_w$

c) Some Useful (maybe) Formula:

$$\ln \frac{P_2}{P_1} = \frac{\Delta H_{\text{vap}}^{\circ}}{R} \left(\frac{1}{T_1} - \frac{1}{T_2} \right)$$

$$P_{\text{solution}} = X_{\text{solvent}} \times P_{\text{solvent}}^{\circ}$$

Integrated Rate Laws for Reactions of Type A → Products

Rate Law	Integrated Rate Law
rate = $k[A]^0 = k$	$[A]_t = [A]_0 - kt$
rate = $k[A]$	$\ln \frac{[A]_t}{[A]_0} = -kt$
rate = $k[A]^2$	$\frac{1}{[A]_t} = \frac{1}{[A]_0} + kt$

Zero Order	First Order	Second Order
$t_{1/2} = \frac{[A]_0}{2k}$	$t_{1/2} = \frac{\ln 2}{k}$	$t_{1/2} = \frac{1}{k[A]_0}$
Directly proportional to $[A]_0$	Constant	Inversely proportional to $[A]_0$

$$K_p = K_c (RT)^{\Delta n}$$

$$pH + pOH = 14 @ 25^{\circ}\text{C}$$

$$K_a K_b = 1 \times 10^{-14} @ 25^{\circ}\text{C}$$

$$\ln \frac{K_2}{K_1} = -\frac{\Delta H^{\circ}}{R} \left(\frac{1}{T_2} - \frac{1}{T_1} \right)$$