

The Periodic Table

H 1 1.01																			He 2 4.00
Li 3 6.94	Be 4 9.01												B 5 10.81	C 6 12.01	N 7 14.01	O 8 16.00	F 9 19.00	Ne 10 20.18	
Na 11 22.99	Mg 12 24.31												Al 13 26.98	Si 14 28.09	P 15 30.97	S 16 32.07	Cl 17 35.45	Ar 18 39.95	
K 19 39.10	Ca 20 40.08	Sc 21 44.96	Ti 22 47.88	V 23 50.94	Cr 24 52.00	Mn 25 54.94	Fe 26 55.85	Co 27 58.93	Ni 28 58.69	Cu 29 63.55	Zn 30 65.39	Ga 31 69.72	Ge 32 72.61	As 33 74.92	Se 34 78.96	Br 35 79.90	Kr 36 83.80		
Rb 37 85.47	Sr 38 87.62	Y 39 88.91	Zr 40 91.22	Nb 41 92.91	Mo 42 95.94	Tc 43 (97.9)	Ru 44 101.07	Rh 45 102.91	Pd 46 106.42	Ag 47 107.87	Cd 48 112.41	In 49 114.82	Sn 50 118.71	Sb 51 121.76	Te 52 127.60	I 53 126.90	Xe 54 131.29		
Cs 55 132.91	Ba 56 137.33	La 57 138.91	Hf 72 178.49	Ta 73 180.95	W 74 183.85	Re 75 186.21	Os 76 190.2	Ir 77 192.22	Pt 78 195.08	Au 79 197.97	Hg 80 200.59	Tl 81 204.38	Pb 82 207.2	Bi 83 208.98	Po 84 (209)	At 85 (210)	Rn 86 (222)		
Fr 87 223.02	Ra 88 226.03	Ac 89 227.03	Rf 104 (261)	Db 105 (262)	Sg 106 263	Bh 107 (262)	Hs 108 (265)	Mt 109 (266)	Ds 110 (271)	Rg 111 (272)	Uub 112 (285)	Uut 113 (284)	Uuq 114 (289)	Uup 115 (288)					

Ce 58 140.12	Pr 59 140.91	Nd 60 144.24	Pm 61 (145)	Sm 62 150.36	Eu 63 152.97	Gd 64 157.25	Tb 65 158.93	Dy 66 162.50	Ho 67 164.93	Er 68 167.26	Tm 69 168.93	Yb 70 173.04	Lu 71 174.97
Th 90 232.04	Pa 91 231.04	U 92 238.03	Np 93 237.05	Pu 94 (240)	Am 95 243.06	Cm 96 (247)	Bk 97 (248)	Cf 98 (251)	Es 99 252.08	Fm 100 257.10	Md 101 (257)	No 102 259.10	Lr 103 262.11

Some Useful Formulae and Constants:

$$\text{pH} = \text{pK}_a + \log_{10} \frac{[\text{Base}]}{[\text{Acid}]}$$

$$25^\circ\text{C} = 298\text{K}$$

$$K_w = 1 \times 10^{-14} \text{ @ } 25^\circ\text{C}$$

SID

--	--	--	--	--	--	--	--

Last _____

First _____

Question 1 6 Points	<p>a) Write a net ionic equation to show how HF, behaves as an acid in water.</p> $\text{HF(aq)} + \text{H}_2\text{O(l)} \quad \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}} + \underline{\hspace{2cm}}$ <p style="text-align: center;">(= or \rightleftharpoons)</p> <p>b) Write a net ionic equation to show how ammonia behaves as a base in water.</p> $\text{NH}_3(\text{aq}) + \text{H}_2\text{O(l)} \quad \underline{\hspace{2cm}} \quad \underline{\hspace{2cm}} + \underline{\hspace{2cm}}$ <p style="text-align: center;">(= or \rightleftharpoons)</p>								
Question 2 8 Points	<p>Assign each species on the left to a category on the right.</p> <table style="width: 100%; border-collapse: collapse;"><tr><td style="width: 50%; border-right: 1px solid black; padding-right: 10px;">a) HI <u> </u></td><td style="width: 50%; padding-left: 10px;">1. Strong Acid</td></tr><tr><td style="border-right: 1px solid black; padding-right: 10px;">b) LiOH <u> </u></td><td style="padding-left: 10px;">2. Weak Acid</td></tr><tr><td style="border-right: 1px solid black; padding-right: 10px;">c) (CH₃)₂NH <u> </u></td><td style="padding-left: 10px;">3. Strong Base</td></tr><tr><td style="border-right: 1px solid black; padding-right: 10px;">d) HCN <u> </u></td><td style="padding-left: 10px;">4. Weak Base</td></tr></table>	a) HI <u> </u>	1. Strong Acid	b) LiOH <u> </u>	2. Weak Acid	c) (CH ₃) ₂ NH <u> </u>	3. Strong Base	d) HCN <u> </u>	4. Weak Base
a) HI <u> </u>	1. Strong Acid								
b) LiOH <u> </u>	2. Weak Acid								
c) (CH ₃) ₂ NH <u> </u>	3. Strong Base								
d) HCN <u> </u>	4. Weak Base								
Question 3 6 Points	<p>An aqueous solution has a hydronium ion concentration of $1.0 \times 10^{-2} \text{ M}$.</p> <p>a) What is the hydroxide ion concentration in this solution? <u> </u> M</p> <p>b) Is this solution acidic, basic or neutral? <u> </u></p>								
Question 4 6 Points	<p>An aqueous solution has a pOH of 8.30</p> <p>a) What is the pH of this solution? <u> </u></p> <p>b) What is the hydronium ion concentration in this solution? <u> </u> M</p> <p>c) What is the hydroxide ion concentration in this solution? <u> </u> M</p>								
Question 5 6 Points	<p>Arrange the following solutions in order of increasing acidity: 1 = least acidic ; 3 = most acidic</p> <p>a) Solution with a hydroxide ion concentration = $1 \times 10^{-10} \text{ M}$ <u> </u></p> <p>b) Solution with a hydronium ion concentration = $1 \times 10^{-13} \text{ M}$ <u> </u></p> <p>c) Solution with a pOH = 8 <u> </u></p>								
Question 6 6 Points	<p>The autoionization of water is an endothermic process: $\text{H}_2\text{O(l)} + \text{H}_2\text{O(l)} \rightleftharpoons \text{H}_3\text{O}^+ + \text{OH}^-$ This means that as we heat water:</p> <table style="width: 100%; border-collapse: collapse;"><tr><td style="width: 50%; border-right: 1px solid black; padding-right: 10px;">a) The [OH⁻]</td><td style="width: 50%; padding-left: 10px;">b) The water becomes</td></tr><tr><td style="border-right: 1px solid black; padding-right: 10px;"><input type="checkbox"/> Decreases</td><td style="padding-left: 10px;"><input type="checkbox"/> Basic</td></tr><tr><td style="border-right: 1px solid black; padding-right: 10px;"><input type="checkbox"/> Increases</td><td style="padding-left: 10px;"><input type="checkbox"/> Acidic</td></tr><tr><td style="border-right: 1px solid black; padding-right: 10px;"><input type="checkbox"/> Remains the same</td><td style="padding-left: 10px;"><input type="checkbox"/> Remains Neutral</td></tr></table>	a) The [OH ⁻]	b) The water becomes	<input type="checkbox"/> Decreases	<input type="checkbox"/> Basic	<input type="checkbox"/> Increases	<input type="checkbox"/> Acidic	<input type="checkbox"/> Remains the same	<input type="checkbox"/> Remains Neutral
a) The [OH ⁻]	b) The water becomes								
<input type="checkbox"/> Decreases	<input type="checkbox"/> Basic								
<input type="checkbox"/> Increases	<input type="checkbox"/> Acidic								
<input type="checkbox"/> Remains the same	<input type="checkbox"/> Remains Neutral								

<p>Question 7 6 Points</p>	<p>In the following net ionic equation:</p> $\text{CH}_3\text{NH}_2(\text{aq}) + \text{H}_2\text{O}(\text{l}) \rightleftharpoons \text{CH}_3\text{NH}_3^+ + \text{OH}^-$ <p>a) CH_3NH_3^+ is a Bronsted-Lowry _____</p> <p>b) OH^- is a Bronsted-Lowry _____</p> <p>c) The formula of the reactant that acts as a proton acceptor: _____</p>						
<p>Question 8 6 Points</p>	<p>a) The formula for the conjugate acid of H_2PO_4^- is: _____</p> <p>b) The formula for the conjugate base of H_2PO_4^- is: _____</p>						
<p>Question 9 6 Points</p>	<p>Which of the following aqueous solutions are buffer solutions?</p> <table border="0" style="width: 100%;"> <tr> <td><input type="checkbox"/> 0.21M HI + 0.17M KI</td> <td><input type="checkbox"/> 0.31M HClO + 0.28M KClO</td> </tr> <tr> <td><input type="checkbox"/> 0.13M NaOH + 0.24M NaCl</td> <td><input type="checkbox"/> 0.26M NH_4NO_3 + 0.37M KNO_3</td> </tr> <tr> <td><input type="checkbox"/> 0.16M CH_3COOH + 0.21M CH_3COOK</td> <td></td> </tr> </table>	<input type="checkbox"/> 0.21M HI + 0.17M KI	<input type="checkbox"/> 0.31M HClO + 0.28M KClO	<input type="checkbox"/> 0.13M NaOH + 0.24M NaCl	<input type="checkbox"/> 0.26M NH_4NO_3 + 0.37M KNO_3	<input type="checkbox"/> 0.16M CH_3COOH + 0.21M CH_3COOK	
<input type="checkbox"/> 0.21M HI + 0.17M KI	<input type="checkbox"/> 0.31M HClO + 0.28M KClO						
<input type="checkbox"/> 0.13M NaOH + 0.24M NaCl	<input type="checkbox"/> 0.26M NH_4NO_3 + 0.37M KNO_3						
<input type="checkbox"/> 0.16M CH_3COOH + 0.21M CH_3COOK							
<p>Question 10 8 Points (2 Points) (4 Points) (2 Points)</p>	<p>A buffer solution is made that is 0.44M in HCN and 0.44M in NaCN</p> <p>a) If K_a for HCN is 4.0×10^{-10}, what is the pH of the buffer solution? _____</p> <p>b) Write the net ionic equation for the reaction that occurs when a small quantity of OH^- is added to the buffer solution.</p> <p>_____ + _____ = _____ + _____</p> <p>c) The Buffer capacity for removal of H_3O^+ is: _____ M</p>						
<p>Question 11 6 Points</p>	<p>A buffer solution is 0.398M in H_2S and 0.324M in NaHS. If K_a for H_2S is 1.0×10^{-7}, what is the pH of this buffer solution?</p> <p style="text-align: right;"><u>For full credit you must show work</u></p> <p style="text-align: right;">pH = _____</p>						

Question 12

9 Points

A small amount of **strong base** is added to a **buffer** made from **HCN** and **NaCN**. What changes if any will occur to the following.

Choose from the following choices:

Increase significantly
Decrease significantly

Increase
Decrease

Increase slightly
Decrease slightly

- a) pOH _____
- b) [HCN] _____
- c) [CN⁻] _____

Question 13

6 Points

Whether or not the process is observed in nature, which of the following could account for the following transformations: (Choose all that apply)

 alpha decay beta decay electron capture positron emission alpha decay beta decay electron capture positron emission alpha decay beta decay electron capture positron emission**Question 15**

5 Points

You need to make an aqueous solution of **0.145M iron(II) sulfate** for an experiment in lab, using a **500mL** volumetric flask. How many **grams** of **iron(II) sulfate** should you add?:

For full credit you must show work.

Question 16

6 Points

An aqueous solution of **calcium hydroxide** is standardized by titration with a **0.199M** solution of **hydrobromic acid**.
If **21.4mL** of base are required to neutralize **18.9mL** of the acid, what is the **molarity** of the **calcium hydroxide** solution?


For full credit you must show work and give a balanced chemical equation.

_____ M

Question 17

6 Points

According to the following reaction, **how many grams of water** will be formed upon the complete reaction of **29.0 grams of hydrochloric acid** with **excess oxygen gas**?



For full credit you must show work and give a balanced chemical equation.

_____ g

Do Not Write Below This

Exam III Score