### Announcements - Lecture II - Thursday, Sep 4th

1. iClicker for credit starts Thursday, September 11<sup>th</sup>

Register your iClicker in Owl (a homework assignment) by Tuesday, September 9<sup>th</sup>

2. First Lab – Saturday, September 20<sup>th</sup> ... 1-4pm ... ISB 155 /160 (A-E)



#### 1.3 How Do Scientists Report Numbers – Significant Figures

1.3 Example\_1

When 36.456 is added to 74.2 the result is -

¥

110.656

3) 110.6

) 110

110.7

36.456

74.2

110.656

5 > 50 ... Round up

110.7

When adding and subtracting the Resultant should be recorded according to the number with the fewest decimal places.


I have no clue!



		cant figures –	A B C	B) 2 C) 3 D) 4 E) I have no clue!
 When Hultiplying and dividing, the 18.44 4 Number with the fewest significant 36.1 3 Pigures Rules.				und dividing. The Pewest significant
		Tigmes	, m, C3.	

### 1.3 How Do Scientists Report Numbers – Significant Figures

1.3 Example\_3



Note the use of Scientific Notation ... 1.248×10<sup>3</sup>
100 ... 1 Significant figure
1.00 × 10<sup>2</sup> has 3 Significant figures

## 1.5 Factor-Label Method – Dimensional Analysis – The Mathematics of Chemistry What is a Handy Way to Convert from One Unit to Another?

#### 1.5 Example\_1

Prior to the metric system, the common unit of weight was the pound (lb). Under the S.I. System, 1 lb = 453.5g. If an old recipe calls for 9 ounces of flour (16 oz = 1 lb), how many grams of flour is this equivalent to?

$$\frac{0.56 \text{ N} + 453.5 \text{ 3}}{1 \text{ N}} = 255 \text{ g}$$

# 1.5 Dimensional Analysis – The Mathematics of Chemistry What is a Handy Way to Convert from One Unit to Another?

#### 1.5 Example\_2

A field is 100m long by 45m wide. What is the area in cm<sup>2</sup>? (1m = 100cm) *To illustrate the power of dimensional analysis, first find the area in m*<sup>2</sup> and then do the conversion to  $cm^2$ .

 $4.5 \times 10^5$ 

B) 4.5x10<sup>7</sup> D) 0.45

- C) 45
  - Oops ... I must have made a mistake

$$\Omega_{Req} = 100 \,\text{m} \times 45 \,\text{m} = 4.5 \times 10^3 \,\text{m}^2$$

$$4.5 \times 10^3 \, \text{m}^2 = 4.5 \times 10^3 \, \text{m m}$$


$$4.5 \times 10^3 \, \text{mm} \, |00 \, \text{cm} \, |00 \, \text{cm} \, = 4.5 \times 10^7 \, \text{cm} \, \text{cm}$$

## 1.5 Factor-Label Method – Dimensional Analysis – The Mathematics of Chemistry What is a Handy Way to Convert from One Unit to Another?

#### 1.5 Example\_3

The density of whole blood at 37°C is 1.06 g.cm<sup>-3</sup>. What is the mass, in grams of a

15.0 cm<sup>3</sup> sample of blood?



Nould it help if 1 told you ... 
$$1.06g.cm^{-3} = 1.06g$$
?

$$\frac{15.0 \text{ cm}^3}{1 \text{ cm}^3} = 15.9 \text{ g}$$

### 1.5 Factor-Label Method – Dimensional Analysis – The Mathematics of Chemistry What is a Handy Way to Convert from One Unit to Another?

#### 1.5 Example\_4

Ammonium Nitrate decomposes explosively according to the following balanced chemical equation:

 $(2)NH_4NO_3(s) = 2N_2(g) + (4)H_2O(g) + O_2(g)$   $\leftarrow$  Balanced chemical equation of 3.4 moles (the chemists unit of quantity) decomposes, how many moles of gaseous water are produced.