

## 13.1 Quantitative Expressions of Concentration

### Units of Concentration – Molarity, Molality, Mole Fraction, Weight %

What is the molality of a chromium(II) nitrate solution made by dissolving 27.1g of chromium(II) nitrate (MM= 176.02) in 513g of water?



3  
0.?



$$\text{Molality} = \frac{\text{moles of solute}}{\text{kg of solvent}}$$

$$\text{Moles of solute} : \frac{27.1\text{g} \text{ Cr}(\text{NO}_3)_2}{176.02\text{g}} \times \frac{1 \text{ mol}}{1 \text{ mol}} = 0.154$$

$$\text{Kg of Solvent} : \frac{513\text{g}}{1000\text{g}} \times \frac{1 \text{ kg}}{1 \text{ kg}} = 0.513$$

$$\text{Molality} = \frac{0.154}{0.513} = 0.300 \text{ m}$$

### 13.1

## Quantitative Expressions of Concentration

### Units of Concentration – Molarity, Molality, Mole Fraction, Weight %

An aqueous solution is 6.00 % by mass hydrochloric acid. What is the mole fraction of hydrochloric acid in the solution?

$$6.00\% \text{ HCl} = \frac{6.00 \text{ g HCl}}{100 \text{ g solvent}}$$

$$X = \frac{\text{moles of solute}}{\text{moles of solute} + \text{moles of solvent}}$$

Assume : 100g of solution.

∴ 6g of HCl + 94g of H<sub>2</sub>O

$$\text{MM: H}_2\text{O} = 18.02 \text{ g mol}^{-1} : \text{HCl} = 36.5 \text{ g mol}^{-1}$$


$$\text{Moles of solute : } \frac{6.00 \text{ g HCl}}{36.5 \text{ g}} \times \frac{1 \text{ mol}}{1 \text{ mol}} = 0.164$$

$$\text{Moles of solvent : } \frac{94.00 \text{ g H}_2\text{O}}{18.02 \text{ g}} \times \frac{1 \text{ mol}}{1 \text{ mol}} = 5.22$$


$$X = \frac{0.164}{0.164 + 5.22} = 0.0305$$

## 13.4 Colligative Properties

### Vapor Pressure Lowering – Raoult's Law



Pure solvent



Solution with a  
nonvolatile solute

When a nonvolatile solute is added to a volatile solvent, the solute particles block some of the solvent molecules from escaping into the gas phase, thus lowering the vapor pressure.

RAOULT'S LAW:

$$P_{\text{solution}} = X_{\text{solvent}} \times P^{\circ}_{\text{solvent}}$$

$P_{\text{solution}}$ : Vapor Pressure of the solvent in the solution.

$X_{\text{solvent}}$ : Mole fraction of the solvent.

$P^{\circ}_{\text{solvent}}$ : Vapor Pressure of the pure solvent.

## 13.4 Colligative Properties

### Vapor Pressure Lowering – Raoult's Law

The vapor pressure of benzene ( $C_6H_6$ ) at 25 °C is 73.0 mm Hg. What is the vapor pressure of a solution consisting of 303 g of benzene and 0.170 mol of a solute that is a nonvolatile nonelectrolyte?



73.0 mmHg

→ ~ 7

$$P_{\text{solution}} = X_{\text{benzene}} \times P^{\circ}_{\text{benzene}}$$

$$C_6H_6 : MM = 78.12 \text{ g.mol}^{-1}$$


$$\frac{303 \text{ g } C_6H_6}{78.12 \text{ g}} \mid \frac{1 \text{ mol}}{78.12 \text{ g}} = 3.88 \text{ mol } C_6H_6$$

$$X_{C_6H_6} = \frac{3.88}{3.88 + 0.17} = 0.958$$

$$P_{\text{solution}} = 0.958 (73.0) = 69.9 \text{ mm Hg}$$

## 13.4 Colligative Properties

### Vapor Pressure Lowering – Boiling Point Elevation



$$\Delta T_{bp} = i \times K_{bp} \times m_{solute}$$

$\Delta T_{bp}$  : Change in Boiling Point.

$K_{bp}$  : Boiling Point elevation constant for the solute.

$m_{solute}$  : Molarity of the solute.

$i$  : van't Hoff Factor.  
For a nonelectrolyte,  $i = 1$